


Feline—Aerosol Transmission




foreign animal disease

zoonotic disease

Anthrax (<i>Bacillus anthracis</i>)	•	
<i>Aspergillus</i> spp.		
<i>Bordetella bronchiseptica</i>	•	
Calicivirus (FCV)		
Canine Parvovirus 2		
<i>Chlamydophila felis</i>	•	
<i>Coccidioides immitis</i>		
<i>Cryptococcus neoformans</i>		
Feline Distemper (Feline Panleukopenia, Feline Parvovirus)		
Feline Infectious Peritonitis (FIP)		
Feline Viral Rhinotracheitis (FRV)		
Glanders (<i>Burkholderia mallei</i>)	•	•
Hendra Virus	•	•
<i>Histoplasma capsulatum</i>		
Melioidosis (<i>Burkholderia pseudomallei</i>)	•	
Nipah Virus	•	•
Plague (<i>Yersinia pestis</i>)	•	
<i>Pneumocystis carinii</i>	•	
Q Fever (<i>Coxiella burnetii</i>)	•	
Tuberculosis (<i>Mycobacterium</i> spp.)	•	

Feline—Oral Transmission




foreign animal disease

zoonotic disease

Anthrax (<i>Bacillus anthracis</i>)	•	
<i>Babesia</i> spp.	•	
Botulism (<i>Clostridium botulinum</i>)		
<i>Campylobacter jejuni</i>	•	
Canine Parvovirus 2		
Coccidiosis (<i>Isospora</i> spp.)		
<i>Cryptosporidium parvum</i>	•	
<i>Escherichia coli</i> (<i>E. coli</i>)	•	
Feline Coronavirus (FCoV)		
Feline Distemper (Feline Panleukopenia, Feline Parvovirus)		
Feline Immunodeficiency Virus (FIV)		
Feline Infectious Peritonitis (FIP)		
Feline Leukemia Virus (FeLV)		
<i>Giardia</i> spp.	•	
Glanders (<i>Burkholderia mallei</i>)	•	•
<i>Helicobacter pylori</i>	•	
Hookworms (<i>Ancylostoma</i> spp.)	•	
Leptospirosis (<i>Leptospira</i> spp.)	•	
<i>Listeria monocytogenes</i>	•	
Melioidosis (<i>Burkholderia pseudomallei</i>)	•	
Pseudorabies		
Roundworms (<i>Toxocara</i> spp.)	•	
<i>Salmonella</i> spp.	•	
Strongyles (<i>Strongyloides</i> spp.)	•	
Tapeworms (<i>Dipylidium caninum</i> , <i>Echinococcus</i> spp.)	•	
<i>Toxoplasma gondii</i>	•	
Tuberculosis (<i>Mycobacterium</i> spp.)	•	
Tularemia (<i>Francisella tularensis</i>)	•	
Whipworms (<i>Trichuris campanula</i>)		

Feline—Fomite Transmission




foreign animal disease

zoonotic disease

Anthrax (<i>Bacillus anthracis</i>)	•	
<i>Bordetella bronchiseptica</i>	•	
Canine Parvovirus 2		
<i>Chlamydophila felis</i>	•	
Coccidiosis (<i>Isospora spp.</i>)		
Feline Coronavirus (FCoV)		
Feline Leukemia Virus (FeLV)		
Feline Viral Rhinotracheitis (FRV)		
<i>Giardia spp.</i>	•	
Melioidosis (<i>Burkholderia pseudomallei</i>)	•	
Nipah Virus	•	•
Ringworm (<i>Microsporum spp.</i> , <i>Trichophyton spp.</i>)	•	
<i>Salmonella spp.</i>	•	

Feline—Direct Contact Transmission




foreign animal disease

zoonotic disease

Anthrax (<i>Bacillus anthracis</i>)	•	
<i>Capnocytophaga canimorsus</i>	•	
External Parasites	•	
Feline Immunodeficiency Virus (FIV)		
Glanders (<i>Burkholderia mallei</i>)	•	•
<i>Haemobartonella felis</i>		
Leptospirosis (<i>Leptospira spp.</i>)	•	
<i>Pasteurella spp.</i> (Bite wound abscesses)	•	
Q Fever (<i>Coxiella burnetii</i>)	•	
Rabies	•	
Ringworm (<i>Microsporum spp.</i> , <i>Trichophyton spp.</i>)	•	
<i>Sporothrix schenckii</i> (Rose gardener's disease)	•	
Tetanus (<i>Clostridium tetani</i>)	•	

Feline—Vector Transmission



foreign animal disease

zoonotic disease

<i>Babesia</i> spp.—ticks	•	
<i>Bartonella</i> spp.—ticks & flies	•	
<i>Cytauxzoon felis</i> —ticks		
<i>Ehrlichia</i> spp.—ticks		
<i>Haemobartonella felis</i> —fleas		
Leishmaniasis—sandflies	•	
Lyme Disease (<i>Borrelia burgdorferi</i>)—ticks	•	
Plague (<i>Yersinia pestis</i>)—fleas	•	
Q Fever (<i>Coxiella burnetii</i>)—ticks	•	
Rift Valley Fever—mosquitoes	•	•
Screwworm Myiasis—fly larvae	•	•
Tularemia (<i>Francisella tularensis</i>)—ticks & flies	•	
West Nile Virus (WNV)—mosquitoes	•	